

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	440	(breakpoint or (break adj point)) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:21
L7	34	l6 same (reset\$4 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:22
L8	1903	(717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:51
L9	6	l8 and l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:51
L10	14	l7 and (debug\$4 with (software or application\$1 or code or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:00
L11	132	(breakpoint\$1 or (break adj point\$1)) near3 internal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:21
L12	524	(breakpoint\$1 or (break adj point\$1)) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:21
L13	23	l11 and l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:21
L14	363	l12 and ((set\$4 or reset\$4) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:24

L15	21	l11 and l14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:24
S5	24	S4 and (increment\$3 with counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:37
S6	2187	(717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:36
S7	296	S6 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:36
S8	40	S7 and (increment\$3 with counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:56
S9	174	(breakpoint\$1 or (break adj point\$1) or watchpoint\$1) near3 counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 12:29
S10	43	S9 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 12:35
S11	232	S3 and (interact\$5 with user\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 13:49
S12	148	S11 and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occurrence\$1 or hit\$1 or encounter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:01
S13	123	S12 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 13:52

S14	18	S13 and ((reset\$3 or reload\$3) with (count\$3 or hit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 13:53
S15	2153	(breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:55
S16	889	S15 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:21
S17	477	S16 and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (breakpoint\$1 or (break adj point\$1) or watchpoint\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 13:59
S18	433	S17 and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (hit\$1 or occur\$6 or encounter\$3 or count\$3 or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:01
S19	191	S18 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:01
S20	97	S19 and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:55
S21	85	user\$1 with (enabl\$3 or disabl\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:30
S22	26	S21 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:30
S23	20	user\$1 with disabl\$3 with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:54

S24	3	(breakpoint or (break adj point)) adj occurrences	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:17
S25	339	(703/28)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:54
S26	191	S25 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:55
S27	84	S26 and (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:55
S28	84	S27 and ((breakpoint\$1 or (break adj point\$1)) count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:56
S29	25	S28 and ((reset\$3 or reload\$3) with (count\$3 or breakpoint\$1 or (break adj point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:19
S30	121	internal near3 (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:22
S31	1	S30 and ((reset\$3 with count\$3) near10 (breakpoint\$1 or (break adj point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:22
S32	17	S30 and (reset\$4 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:22
S33	287	(breakpoint\$1 or (break adj point\$1)) with loop\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:54

S34	107	S33 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:55
S35	61	S34 and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:17
S36	624	(breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:50
S37	285	S36 and ((software or code or program\$1) with debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 17:09
S38	188	S37 and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 17:09
S39	68	S38 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 17:16
S40	303	(disabl\$3 or skip\$4 or ignor\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 17:17
S41	84	S37 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 17:17
S42	0	(breakpoint or (break adj point)) same ((for or while) adj1 loop\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:18
S43	0	(breakpoint or (break adj point)) and ((for or while) adj1 loop\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:18

S44	1186	(breakpoint or (break adj point)) with (line\$1 or statement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:19
S45	393	S44 and loop\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:20
S46	0	S45 and ((for or while) with loop\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:20
S47	161	S45 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:20
S48	68	S47 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:20
S49	1190	(717/124 or 717/125 or 717/127 or 717/129)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:01
S50	2316	(breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or time\$1 or occurrence\$1 or encounter\$3 or hit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:15
S51	158	S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:01
S52	18	S51 and (increment\$3 with counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:16
S53	2701	(breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or occurrence\$1 or encounter\$3 or hit\$1 or reach\$3 or occur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:37

S54	484	S53 and (increment\$3 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:16
S55	64	S53 same (increment\$3 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:38
S56	2469	(breakpoint\$1 or (break adj1 point\$1)) with (encounter\$3 or reach\$3 or hit\$4 or occur\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:38
S57	31	S56 same (increment\$3 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:51
S58	21	S57 and ((breakpoint\$1 or (break adj1 point\$1)) near4 count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:39
S59	8	S57 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:51